

### Create Customized Home Appliance Prototypes with CNC Machining Anodise **Brush Surface Finish**

#### **Basic Information**

. Place of Origin: China Shenzhen

Brand Name: Home Appliance Prototype

· Certification: Polishing, Anodizing, Painting, Chrome Plating,

Silkscreen

Model Number: ABS, PC, PMMA, POM, PA, PTFE, PEEK

Minimum Order Quantity: 1 piece USD 50 piece

• Packaging Details: Carton, Plywood Box

Delivery Time: 3 - 5 Days Payment Terms: T/T, Paypal

Supply Ability: 1 piece per day



#### **Product Specification**

 Surface Finish: Anodise, Laser Etching, Brush Etc. Surface Treatment: Paint, Mask Paint, Silkscreen Included Components: Home Appliance Prototype • Industry: Automotive, Home Appliance Etc.

· Delivery: Express/air

STP, IGS, X-T, DWG, PDF Etc • Drawing Format:

Technology Type: **Cnc Machining** 

Highlight: customized cnc machining prototypes, customized home appliance prototype,

home cnc machining prototypes



#### **Product Description**

#### Why do home appliances need to be prototyped before mass production?

Home appliances need to be prototyped before mass production for several important reasons:

Design Validation: Prototyping allows designers and engineers to validate and refine the appliance's design. It provides an opportunity to assess the functionality, ergonomics, aesthetics, and overall user experience of the product. By creating physical prototypes, designers can identify design flaws, make necessary improvements, and ensure that the appliance meets the intended design objectives.




Performance Testing: Prototyping enables thorough performance testing of the appliance. This includes evaluating its functionality, durability, safety features, energy efficiency, and compliance with industry standards and regulations. Testing prototypes helps identify potential issues, such as mechanical failures, electrical malfunctions, or inadequate performance, and allows for necessary adjustments to be made before mass production.



Ergonomics and User Experience: Prototyping allows for the evaluation of the appliance's ergonomics and user experience. It provides an opportunity to assess factors such as ease of use, button placement, control interfaces, accessibility, and overall comfort. Feedback from users interacting with prototypes can help optimize the design to ensure a positive and intuitive user experience.




Cost Optimization: Through prototyping, it is possible to identify opportunities for cost optimization in the manufacturing process. Prototypes allow engineers to assess the feasibility of manufacturing methods, evaluate material choices, and identify areas where production costs can be reduced without compromising the appliance's functionality or quality.



Marketing and Stakeholder Feedback: Prototypes are valuable for marketing purposes and gathering feedback from stakeholders. They can be used in product demonstrations, presentations, and focus groups to showcase the appliance's features, appearance, and functionality. Feedback from potential customers, retailers, and investors can be collected to make informed decisions and further refine the product before mass production.



Tooling and Manufacturing Preparation: Prototyping helps in preparing for mass production by providing insights for tooling and manufacturing processes. Prototypes can be used to develop production tooling, assess assembly methods, optimize production workflows, and estimate production costs. This helps ensure a smooth transition from prototyping to mass production, minimizing potential issues and reducing costly revisions during the manufacturing phase.



By prototyping home appliances before mass production, manufacturers can mitigate risks, improve product quality, enhance user satisfaction, optimize production processes, and increase the likelihood of a successful market launch. It allows for

thorough evaluation and refinement of the appliance's design, performance, and user experience, ultimately leading to a better final product.



Assembly and Functional Integration: Assemble the painted components, ensuring that they fit together accurately and function as intended. This includes integrating electrical components, control panels, doors, handles, and other relevant parts. The functionality of the prototype should closely resemble that of the final product to facilitate in-home testing and evaluation.

#### Surface Finishes for Home Appliance Prototype

CNC machining leaves visible tool marks during the process of removing portions of the block's surface to create desired shapes. If you don't want as-machined parts, select a surface finishing for your custom parts. At Barana Rapid, we offer several common surface finishes that help improve functionality and aesthetics.

Name	Description	Materia Is	Color	Texture
Anodizing	Anodizing improves corrosion resistance, enhancing wear resistance and hardness, and protecting the metal surface. Widely used in mechanical parts, aircraft, and automobile parts, precision instruments, etc.	Alumin um	IARAV RAA NIIIA	Smooth,matte finish
Sand Blasting	and can be followed by other curface	ABS, Alumin um, Brass	N/A	matte
Powder Coating	powder. Unlike conventional liquid paint which is delivered via an evaporating solvent, powder coating is typically applied electrostatically	ss	l	Gloss or semi- gloss

0	Electroplating	Electroplating can be functional, decorative or corrosion-related. Many industries use the process, including the automotive sector, in which chrome-plating of steel automobile parts is common.	steel	IIXI / 🛆	Smooth, Glossy finish
	Polishing	Polishing is the process of creating a smooth and shiny surface, either through physical rubbing of the part or by chemical interference. The process produces a surface with significant specular reflection, but in some materials is able to reduce diffuse reflection.	Alumin um, Brass, Stainle ss Steel, Steel	N/A	Glossy
	Brushing	Brushing is a surface treatment process in which abrasive belts are used to draw traces on the surface of a material, usually for aesthetic purposes.	ABS, Alumin um, Brass, Stainle ss Steel, Steel	N/A	Satin

Quality Control and Testing: Conduct thorough quality control checks to ensure the prototype's functionality, safety, and adherence to specifications. Test the appliance for its intended functions, such as heating, cooling, or other relevant features. Evaluate its performance, energy efficiency, and user experience to identify any necessary design refinements.

#### Our First Article Inspection Process

When Barana Rapid receives your order requirements, we will carry out the first article inspection service. According to our company's regulations, Barana Rapid will provide the first article inspection service to ensure better completion of your machining project if the order demand reaches 3,000 US dollars or the minimum order quantity is 300 pieces.

machining project if the order de	mand reaches 3,000	US dollars o	or the minimum order quantity is 3	00 pieces.
	Step 1	Step 2	Step 3	Step 4
Barana Rapid	Offer first article inspection We offer first article inspection services for batch production.	Draft contract We review the project and contact customers for detailed information		Full-scale production The full-scale production starts and finishes production within lead time.
Client	Request inspection You request first article inspection for a project that meets our FAI requirements.	Sign contract You sign the FAI agreement provided by us and agree on our Terms and Conditions.	parts, inform us of full-scale production may begin.	Receive products You receive your prototypes or production parts on the required lead time.

# **Quality Inspection**



# **Packing**









Bubble bag

Bubble bags

Cartons

Customized packing as custom request









Carton

Pallet carton

Wooden case

Shipping

## **▼基準の Barana Rapid Technology Limited**



86 137 2889 6282



baranarm@baranarm.com



© cncmachining-prototype.com

RM502 Block B Floor 5th LiTong Semiconductor industrial park ShaPuWei Community SongGang Street Baoan District Shenzhen, Guangdong, China, ZipCode 518105